



Lecture 1: Software Architecture for reactive Systems

Luís Soares Barbosa

Abstract

This lecture offers an introduction to the course's main themes: software architecture and reactive systems.

1 Software Engineering revisited


The screenshot shows a presentation slide with a light blue header and a white body. The header contains three small text elements: 'Software Engineering revisited', 'Software Architecture', and 'The Course's Approach'. The main title 'Software Engineering' is centered in a large blue font. Below the title, the text reads: 'Software development as one of the most complex but at the same time most effective tasks in the engineering of innovative applications:'. This is followed by a bulleted list with three items, each starting with a blue dot. At the bottom right of the slide, there are several small navigation icons.

Software Engineering revisited Software Architecture The Course's Approach

Software Engineering

Software development as one of the most complex but at the same time most effective tasks in the engineering of innovative applications:

- Software drives innovation in many application domains
- Appropriate software provides engineering solutions that can calculate results, communicate messages, control devices, animate and reason about all kinds of information
- Actually software is becoming everywhere ...



Software Engineering revisited Software Architecture The Course's Approach

Software Engineering

So, ... yet another module in the MFES profile?

Software architecture for reactive systems

characterised by

- a methodological shift: an architectural perspective
- a focus: on reactive systems

2 Software Architecture

Software Engineering revisited Software Architecture The Course's Approach


What is software architecture?

[Garlan & Shaw, 1993]
the systematic study of the overall structure of software systems

[Perry & Wolf, 1992]
SA = { Elements (*what*), Form (*how*), Rationale (*why*) }

[Kruchten, 1995]
deals with the design and implementation of the high-level structure of software

[Britton, 2000]
a discipline of generic design




Software Engineering revisited Software Architecture The Course's Approach

What is software architecture?

The **architecture** of a system describes its gross structure which illuminates the top level design decisions, namely

- how is it composed and of which interacting parts?
- where are the pathways of interaction?
- which are the key properties of the parts the architecture rely and/or enforce?



What is software architecture?

A framework to perform early verification of a system and ensure composability of separately developed parts, providing

- **structural** vs **behavioural** views
- **hierarchical** decomposition into interacting entities
- **functional** vs **non functional** properties
(e.g. performance, reliability, dependability, portability, scalability, interoperability ...)
to analyse schedulability, flow latency, memory consumption
- **design guidelines** (e.g. binding threads to processors to make the system schedulable)
- models for **adaptation** and **reconfigurability**
- ...

What is software architecture?

Which structure? ~> Architectural views

- **code-based structures**: such as **modules**, **classes**, **packages** and relationships like **uses**, **inherits from** or **depends on**.
- **run-time structures**: such as **object instances**, **clients**, **servers**, **databases**, **browsers**, **channels**, **broadcasters**, **software buses**, ...
- **allocation structures**: intended to map code-based and run-time structures to external items, such as **network locations**, **physical devices**, **managerial structures** ...

This course

- focus on **run-time structures**
- and entails a particular **view**: **components & glue**

What is software architecture?

Components:

Loci of computation and data stores, encapsulating subsets of the system's functionality and/or data;

Equipped with run-time interfaces defining their interaction points and restricting access to those subsets;

May explicitly define dependencies on their required execution contexts;

Typically provide **application-specific** services

Connectors:

Pathways of **interaction** between components;

Ensure the flow of data and regulates interaction;

Typically provide **application-independent** interaction facilities;

Examples: procedure calls, pipes, wrappers, shared data structures, synchronisation barriers, etc.



What is software architecture?

Configurations:

Specifications of **how** components and connectors **are associated**;

Examples: relations associating component **ports** to connector **roles**, mapping diagrams, etc.

Properties:

Set of **non functional** properties associated to any architectural element;

Examples (for components): availability, location, priority, CPU usage, ...

Examples (for connectors): reliability, latency, throughput, ...



What is software architecture?

Constraints:

Represent claims about an architectural design that should remain true even as it evolves over time. Typical constraints include restrictions on allowable values of properties, topology, and design vocabulary. For example, **the number of clients of a particular server is less than some maximum value.**

Styles:

Styles represent **families of related systems**. A style defines a vocabulary of design element types and rules for composing them. Examples include dataflow architectures based on pipes and filters, blackboard architectures based on shared data space and a set of knowledge sources, and layered systems.

Two examples

from the **micro** level (a Unix shell script)

```
cat invoices | grep january | sort
```

- Application architecture can be understood based on very few rules
- Applications can be composed by non-programmers
- ... a simple architectural concept that can be comprehended and applied by a broad audience

Two examples

to the **macro** level (the WWW architecture)

- Architecture is totally separated from the code
- There is no single piece of code that implements the architecture
- There are multiple pieces of code that implement the various components of the architecture (e.g., different browsers)
- One of the most successful applications is only understood adequately from an architectural point of view

Architectural styles (or patterns)

An architectural style consists of:

- a set of component types (e.g., process, procedure) that perform some function at runtime
- a topological layout of the components showing their runtime relationships
- a set of semantic constraints (e.g. a layer may only talk to its adjacent)
- a set of connectors (e.g., data streams, sockets) that mediate communication among components

Architectural styles (or patterns)

- classify families of software architectures
- act as **types** for **configurations**
- provide
 - **domain-specific design vocabulary** (eg, set of connector and component types admissible)
 - a set of **constraints** to single out which configurations are well-formed. Eg, a pipeline architecture might constraint valid configurations to be linear sequences of pipes and filters.
 - guidance for architectural design based on the **problem domain** and the **deployment context**

Examples

- Layers
- Client & Server
- Master & Slave
- Publish & Subscribe
- Peer2Peer
- Pipes and Filters
- Event-bus
- Repositories
 - triggering by transactions: **databases**
 - triggering by current state: **blackboard**
- **Table-driven** (virtual machines)
- ...

Pattern: Layers

- helps to structure applications that can be decomposed into groups of subtasks at different levels of abstraction
- Layer n provides services to layer $n + 1$ implementing them through services of the layer $n + 1$
- Typically, service requests resort to synchronous procedure calls

Examples:

virtual machines (eg, JVM)

APIs (eg, C standard library on top of Unix system calls)

operating systems (eg, Windows NT microkernel)

networking protocols (eg, ISO OSI 7-layer model; TCP/IP)



Pattern: Client-Server

- permanently active servers supporting multiple clients
- requests typically handled in separate threads
- stateless (session state maintained by the client) vs stateful servers
- interaction by some inter-process communication mechanism

Examples:

remote DB access

web-based applications

interactive shells



Pattern: Peer-2-Peer

- symmetric Client-Service pattern
- peers may change roles dynamically
- services can be implicit (eg, through the use of a data stream)

Examples:

multi-user applications

P2P file sharing



Pattern: Publish-Subscribe

- used to structure distributed systems whose components interact through remote service invocations
- servers publish their capabilities (services + characteristics) to a **broker** component, which accepts client requests and coordinate communication
- allows dynamic reconfiguration
- requires standardisation of service descriptions through IDL (eg CORBA IDL, .Net, WSDL) or a binary standard (eg, Microsoft OLE — methods are called indirectly using pointers)

Examples:

web services

CORBA (for cooperation among heterogeneous OO systems)



Pattern: Master-Slave

- a master component distributes work load to similar slave components and computes a final result from the results these slaves return
- isolated slaves; no sharing of data
- supports fault-tolerance and parallel computation

Examples:

dependable systems



Pattern: Event-Bus

- event sources publish messages to particular channels on an event bus
- event listeners subscribe to particular channels and are notified of message availability
- asynchronous interaction
- channels can be implicit (eg, using event patterns)
- allows dynamic reconfiguration
- variant of so-called [event-driven](#) architectures

Examples:

process monitoring

trading systems



Pattern: Pipe & Filter

- suitable for data stream processing
- each processing step is encapsulated into a filter component
- uniform data format
- no shared state
- concurrent processing is natural

Examples:

compilers

Unix shell commands

Pattern: Blackboard

- suitable for problems with non deterministic solution strategy known
- all components have access to a shared data store
- components feed the blackboard and inspect it for new partial data
- extending the data space is easy, but changing its structure may be hard

Examples:

complex IA problems (eg, planning, machine learning)

complex applications in computing science (eg, speech recognition; computational chemistry)

Software Architecture as a discipline

- Until the 90's, SA was largely an **ad hoc affair** (but see [Dijkstra,69], [Parnas79], ...)
- Descriptions relied on informal box-and-line diagrams, rarely maintained once the system was built

Challenges

- recognition of a shared **repertoire** of methods, techniques and patterns for structuring complex systems
- quest for **reusable frameworks** for the development of product families

The last 15 years

- Formal notations for representing and analysing SA: **ADL**
- **Examples:** Wright, Rapide, SADL, Darwin, C2, Aesop, Piccola, AADL

ADLs provide:

- **conceptual framework** + **concrete syntax**
 - **tools** for parsing, displaying, analysing or simulating architectural descriptions
- ACME [Garlan et al, 97] as an architectural **interchange** language (a sort of XML for architectural description)
 - Use of model-based prototyping tools (eg Z, VDM) or model-checkers (eg Alloy) to **analyse** architectural descriptions

The last 15 years

- Classification of **architectural styles** characterising **families** of SA and acting as **types** for configurations
- **Standardisation** efforts: ANSI/IEEE Std 1471-2000, but also 'local' standards (eg, Sun's Enterprise JavaBeans architecture)
- Impact of the emergence of a **general purpose (object-oriented) design notation** — UML — closer to practitioners and with a direct link to OO implementations
- SA becomes a mature discipline in Software Engineering; new fields include **documentation** and **architectural recovery** from legacy code

Current trends

Everyware everywhere

- **Everyware** products
- vs **everywhere** development:
many companies look at themselves more as system **integrators** rather than as software **developers**:

the code they write is **glue** code ...
which entails the need for common frameworks
to reduce **architectural mismatches**

Current trends

From object-oriented to component-based

- In OO the architecture is **implicit**: source code exposes **class hierarchies** but not the **run-time interaction**
- Objects are wired at a very low level and the description of the wiring patterns is distributed among them
- CBD retains the basic encapsulation of **data** and **code** principle to increase modularity but shifts the emphasis from **class inheritance** to **object composition**
- ... to avoid interference between inheritance and encapsulation and pave the way to a development methodology based on **third-party assembly** of components

Current trends

From programming-in-the-large to programming-in-the-world

'not only the complexity of building a large application that one needs to deliver, in time and budget, to a client, but of managing an **open-ended structure of autonomous components, possibly distributed and highly heterogeneous**.

This means developing software components that are autonomous and can be interconnected with other components, software or otherwise, and **managing the interconnections themselves** as new components may be required to join in and others to be removed.'

[Fiadeiro, 05]

3 The Course's Approach

Software Engineering revisited Software Architecture The Course's Approach

Challenges

Such trends entails a number of challenges to the way we think about SA

- new **target**: need for an architectural discipline for **reactive systems** (often **complex**, **time critical**, **mobile**, **cyber-physical**, etc ...)
- from **composition** to **coordination** (orchestration)
- relevance of **wrappers** and component **adapters**: integration vs incompatible assumptions about component interaction
- **reconfigurability**
- continued **interaction** as a first-class citizen and the main form of software composition

◀ ▶ ⏪ ⏩ 🔍 ↺ ↻

Software Engineering revisited Software Architecture The Course's Approach

Reactive systems

Reactive system

system that computes by reacting to stimuli from its environment along its overall computation

- in contrast to sequential systems whose meaning is defined by the results of finite computations, the behaviour of reactive systems is mainly determined by **interaction** and **mobility** of **non-terminating** processes, evolving **concurrently**.
- **observation** \equiv interaction
- **behaviour** \equiv a structured record of interactions

◀ ▶ ⏪ ⏩ 🔍 ↺ ↻

Reactive systems

Concurrency vs interaction

```
x := 0;  
x := x + 1 | x := x + 2
```

- both statements in **parallel** could read x before it is written
- which values can x take?
- which is the program outcome if **exclusive access** to memory and **atomic execution** of assignments is guaranteed?

Our approach

There is no **general-purpose, universally tailored**, approach to architectural design of **complex** and **reactive** systems

Therefore, the course

- introduces different models for **reactive** systems
- discusses their **architectural design** and **analysis**
- with (reasonable) **tool support** for modelling and analysis