

# Modal logic for concurrent processes

Luís S. Barbosa

HASLab - INESC TEC  
Universidade do Minho  
Braga, Portugal

22 April, 2015

# Motivation

## System's correctness wrt a specification

- equivalence checking (between two designs), through  $\sim$  and  $=$
- unsuitable to check properties such as

*can the system perform action  $\alpha$  followed by  $\beta$ ?*

which are best answered by exploring the process state space

## Which logic?

- **Modal logic** over transition systems
- The **Hennessy-Milner logic** (offered in mCRL2)
- The **modal  $\mu$ -calculus** (offered in mCRL2)

# The language

## Syntax

$$\phi ::= p \mid \text{true} \mid \text{false} \mid \neg\phi \mid \phi_1 \wedge \phi_2 \mid \phi_1 \rightarrow \phi_2 \mid \langle m \rangle \phi \mid [m] \phi$$

where  $p \in \text{PROP}$  and  $m \in \text{MOD}$

Disjunction ( $\vee$ ) and equivalence ( $\leftrightarrow$ ) are defined by abbreviation. The **signature** of the basic modal language is determined by sets PROP of **propositional** symbols (typically assumed to be denumerably infinite) and MOD of **modality** symbols.

# The language

## Notes

- if there is only one modality in the signature (i.e., MOD is a singleton), write simply  $\diamond\phi$  and  $\Box\phi$
- the language has some redundancy: in particular modal connectives are **dual** (as quantifiers are in first-order logic):  $[m]\phi$  is equivalent to  $\neg\langle m\rangle\neg\phi$
- define **modal depth** in a formula  $\phi$ , denoted by  $\text{md}\phi$  as the maximum level of nesting of modalities in  $\phi$

# The language

## Semantics

A **model** for the language is a pair  $\mathfrak{M} = \langle \mathbb{F}, V \rangle$ , where

- $\mathfrak{F} = \langle W, \{R_m\}_{m \in \text{MOD}} \rangle$   
is a **Kripke frame**, ie, a non empty set  $W$  and a family of binary relations over  $W$ , one for each modality symbol  $m \in \text{MOD}$ .  
Elements of  $W$  are called **points**, **states**, **worlds** or simply **vertices** in the directed graphs corresponding to the modality symbols.
- $V : \text{PROP} \rightarrow \mathcal{P}(W)$  is a **valuation**.

# The language

Satisfaction: for a model  $\mathfrak{M}$  and a point  $w$

$\mathfrak{M}, w \models \text{true}$

$\mathfrak{M}, w \not\models \text{false}$

$\mathfrak{M}, w \models p$  iff  $w \in V(p)$

$\mathfrak{M}, w \models \neg\phi$  iff  $\mathfrak{M}, w \not\models \phi$

$\mathfrak{M}, w \models \phi_1 \wedge \phi_2$  iff  $\mathfrak{M}, w \models \phi_1$  and  $\mathfrak{M}, w \models \phi_2$

$\mathfrak{M}, w \models \phi_1 \rightarrow \phi_2$  iff  $\mathfrak{M}, w \not\models \phi_1$  or  $\mathfrak{M}, w \models \phi_2$

$\mathfrak{M}, w \models \langle m \rangle \phi$  iff there exists  $v \in W$  st  $wR_mv$  and  $\mathfrak{M}, v \models \phi$

$\mathfrak{M}, w \models [m] \phi$  iff for all  $v \in W$  st  $wR_mv$  and  $\mathfrak{M}, v \models \phi$

# The language

## Satisfaction

A formula  $\phi$  is

- **satisfiable in a model**  $\mathfrak{M}$  if it is satisfied at some point of  $\mathfrak{M}$
- **globally satisfied** in  $\mathfrak{M}$  ( $\mathfrak{M} \models \phi$ ) if it is satisfied at all points in  $\mathfrak{M}$
- **valid** ( $\models \phi$ ) if it is globally satisfied in all models
- **a semantic consequence** of a set of formulas  $\Gamma$  ( $\Gamma \models \phi$ ) if for all models  $\mathfrak{M}$  and all points  $w$ , if  $\mathfrak{M}, w \models \Gamma$  then  $\mathfrak{M}, w \models \phi$

# Examples

## Temporal logic

- $W$  is a set of instants
- there is a unique modality corresponding to the **transitive closure of the next-time relation**
- **origin**: Arthur Prior, an attempt to *deal with temporal information from the inside, capturing the situated nature of our experience and the context-dependent way we talk about it*



# Examples

## Process logic (Hennessy-Milner logic)

- $\text{PROP} = \emptyset$
- $W = \mathbb{P}$  is a set of states, typically process terms, in a labelled transition system
- each subset  $K \subseteq \text{Act}$  of actions generates a modality corresponding to transitions labelled by an element of  $K$

Assuming the underlying LTS  $\mathfrak{F} = \langle \mathbb{P}, \{p \xrightarrow{K} p' \mid K \subseteq \text{Act}\} \rangle$  as the modal frame, satisfaction is abbreviated as

$$\begin{array}{ll}
 p \models \langle K \rangle \phi & \text{iff } \exists_{q \in \{p' \mid p \xrightarrow{a} p' \wedge a \in K\}} \cdot q \models \phi \\
 p \models [K] \phi & \text{iff } \forall_{q \in \{p' \mid p \xrightarrow{a} p' \wedge a \in K\}} \cdot q \models \phi
 \end{array}$$

# Examples

## Process logic: The taxi network example

- $\phi_0 =$  *In a taxi network, a car can collect a passenger or be allocated by the Central to a pending service*
- $\phi_1 =$  *This applies only to cars already on service*
- $\phi_2 =$  *If a car is allocated to a service, it must first collect the passenger and then plan the route*
- $\phi_3 =$  *On detecting an emergence the taxi becomes inactive*
- $\phi_4 =$  *A car on service is not inactive*

# Examples

## Process logic: The taxi network example

- $\phi_0 = \langle rec, alo \rangle \text{ true}$
- $\phi_1 = [onservice] \langle rec, alo \rangle \text{ true}$  or  
 $\phi_1 = [onservice] \phi_0$
- $\phi_2 = [alo] \langle rec \rangle \langle plan \rangle \text{ true}$
- $\phi_3 = [sos] [-] \text{ false}$
- $\phi_4 = [onservice] \langle - \rangle \text{ true}$

# Process logic: typical properties

- inevitability of  $a$ :  $\langle - \rangle \text{ true} \wedge [-a] \text{ false}$
- progress:  $\langle - \rangle \text{ true}$
- deadlock or termination:  $[-] \text{ false}$
- what about

$\langle - \rangle \text{ false}$  and  $[-] \text{ true}$  ?

- satisfaction decided by unfolding the definition of  $\models$ : no need to compute the transition graph

# Hennessy-Milner logic

... propositional logic with **action** modalities

## Syntax

$$\phi ::= \text{true} \mid \text{false} \mid \phi_1 \wedge \phi_2 \mid \phi_1 \vee \phi_2 \mid \langle K \rangle \phi \mid [K] \phi$$

Semantics:  $E \models \phi$

$$E \models \text{true}$$

$$E \not\models \text{false}$$

$$E \models \phi_1 \wedge \phi_2 \quad \text{iff} \quad E \models \phi_1 \quad \wedge \quad E \models \phi_2$$

$$E \models \phi_1 \vee \phi_2 \quad \text{iff} \quad E \models \phi_1 \quad \vee \quad E \models \phi_2$$

$$E \models \langle K \rangle \phi \quad \text{iff} \quad \exists_{F \in \{E' \mid E \xrightarrow{a} E' \wedge a \in K\}} . F \models \phi$$

$$E \models [K] \phi \quad \text{iff} \quad \forall_{F \in \{E' \mid E \xrightarrow{a} E' \wedge a \in K\}} . F \models \phi$$

# Example

$$Sem \triangleq get.put.Sem$$

$$P_i \triangleq \overline{get}.c_i.\overline{put}.P_i$$

$$S \triangleq new \{get, put\} (Sem \mid (\mid_{i \in I} P_i))$$

- $Sem \models \langle get \rangle true$  holds because

$$\exists_{F \in \{Sem' \mid Sem \xrightarrow{get} Sem'\}} . F \models true$$

with  $F = put.Sem$ .

- However,  $Sem \models [put] false$  also holds, because

$$T = \{Sem' \mid Sem \xrightarrow{put} Sem'\} = \emptyset.$$

Hence  $\forall_{F \in T} . F \models false$  becomes trivially true.

- The only action initially permited to  $S$  is  $\tau$ :  $\models [-\tau] false$ .

# Example

$$Sem \triangleq get.put.Sem$$

$$P_i \triangleq \overline{get}.c_i.\overline{put}.P_i$$

$$S \triangleq new \{get, put\} (Sem \mid (\prod_{i \in I} P_i))$$

- Afterwards,  $S$  can engage in any of the critical events  $c_1, c_2, \dots, c_i$ :  
 $[\tau] \langle c_1, c_2, \dots, c_i \rangle \text{ true}$
- After the semaphore initial synchronization and the occurrence of  $c_j$  in  $P_j$ , a new synchronization becomes inevitable:  
 $S \models [\tau] [c_j] (\langle - \rangle \text{ true} \wedge [-\tau] \text{ false})$

# Exercise

Verify:

$$\neg \langle a \rangle \phi = [a] \neg \phi$$

$$\neg [a] \phi = \langle a \rangle \neg \phi$$

$$\langle a \rangle \text{false} = \text{false}$$

$$[a] \text{true} = \text{true}$$

$$\langle a \rangle (\phi \vee \psi) = \langle a \rangle \phi \vee \langle a \rangle \psi$$

$$[a] (\phi \wedge \psi) = [a] \phi \wedge [a] \psi$$

$$\langle a \rangle \phi \wedge [a] \psi \Rightarrow \langle a \rangle (\phi \wedge \psi)$$



# A denotational semantics

**Idea:** associate to each formula  $\phi$  the set of processes that makes it true

$$\phi \text{ vs } \|\phi\| = \{E \in \mathbb{P} \mid E \models \phi\}$$

$$\|\text{true}\| = \mathbb{P}$$

$$\|\text{false}\| = \emptyset$$

$$\|\phi_1 \wedge \phi_2\| = \|\phi_1\| \cap \|\phi_2\|$$

$$\|\phi_1 \vee \phi_2\| = \|\phi_1\| \cup \|\phi_2\|$$

$$\|[K]\phi\| = \|[K]\|(\|\phi\|)$$

$$\|\langle K \rangle \phi\| = \|\langle K \rangle\|(\|\phi\|)$$

# A denotational semantics

**Idea:** associate to each formula  $\phi$  the set of processes that makes it true

$$\phi \text{ vs } \|\phi\| = \{E \in \mathbb{P} \mid E \models \phi\}$$

$$\|\text{true}\| = \mathbb{P}$$

$$\|\text{false}\| = \emptyset$$

$$\|\phi_1 \wedge \phi_2\| = \|\phi_1\| \cap \|\phi_2\|$$

$$\|\phi_1 \vee \phi_2\| = \|\phi_1\| \cup \|\phi_2\|$$

$$\|[K]\phi\| = \|[K]\|(\|\phi\|)$$

$$\|\langle K \rangle \phi\| = \|\langle K \rangle\|(\|\phi\|)$$

$\| [K] \|$  and  $\| \langle K \rangle \|$ 

Just as  $\wedge$  corresponds to  $\cap$  and  $\vee$  to  $\cup$ , modal logic combinators correspond to **unary functions** on sets of processes:

$$\| [K] \| (X) = \{ F \in \mathbb{P} \mid \text{if } F \xrightarrow{a} F' \wedge a \in K \text{ then } F' \in X \}$$


$$\| \langle K \rangle \| (X) = \{ F \in \mathbb{P} \mid \exists F' \in X, a \in K . F \xrightarrow{a} F' \}$$

### Note

These combinators perform a **reduction to the previous state** indexed by actions in  $K$

$$\| [K] \| \text{ and } \| \langle K \rangle \|$$

## Example



$$\| \langle a \rangle \| \{q_2, n\} = \{q_1, m\}$$

$$\| [a] \| \{q_2, n\} = \{q_2, q_3, m, n\}$$

# A denotational semantics

$$E \models \phi \text{ iff } E \in \|\phi\|$$

Example:  $\mathbf{0} \models [-] \text{ false}$

because

$$\begin{aligned} \|\llbracket - \rrbracket \text{ false}\| &= \|\llbracket - \rrbracket\|(\|\text{false}\|) \\ &= \|\llbracket - \rrbracket\|(\emptyset) \\ &= \{F \in \mathbb{P} \mid \text{if } F \xrightarrow{x} F' \wedge x \in \text{Act} \text{ then } F' \in \emptyset\} \\ &= \{\mathbf{0}\} \end{aligned}$$

# A denotational semantics

$$E \models \phi \text{ iff } E \in \|\phi\|$$

Example:  $?? \models \langle - \rangle \text{ true}$

because

$$\begin{aligned} \|\langle - \rangle \text{ true}\| &= \|\langle - \rangle\|(\|\text{true}\|) \\ &= \|\langle - \rangle\|(\mathbb{P}) \\ &= \{F \in \mathbb{P} \mid \exists F' \in \mathbb{P}, a \in K . F \xrightarrow{a} F'\} \\ &= \mathbb{P} \setminus \{\mathbf{0}\} \end{aligned}$$

# A denotational semantics

## Complement

Any property  $\phi$  divides  $\mathbb{P}$  into two disjoint sets:

$$\|\phi\| \text{ and } \mathbb{P} - \|\phi\|$$

The **characteristic formula** of the complement of  $\|\phi\|$  is  $\phi^c$ :

$$\|\phi^c\| = \mathbb{P} - \|\phi\|$$

where  $\phi^c$  is defined inductively on the formulae structure:

$$\text{true}^c = \text{false} \quad \text{false}^c = \text{true}$$

$$(\phi_1 \wedge \phi_2)^c = \phi_1^c \vee \phi_2^c$$

$$(\phi_1 \vee \phi_2)^c = \phi_1^c \wedge \phi_2^c$$

$$(\langle a \rangle \phi)^c = [a] \phi^c$$

... but **negation** is not explicitly introduced in the logic.

# Modal Equivalence

For each (finite or infinite) set  $\Gamma$  of formulae,

$$E \simeq_{\Gamma} F \Leftrightarrow \forall \phi \in \Gamma . E \models \phi \Leftrightarrow F \models \phi$$

## Examples

$$a.b.\mathbf{0} + a.c.\mathbf{0} \simeq_{\Gamma} a.(b.\mathbf{0} + c.\mathbf{0})$$

for  $\Gamma = \{ \langle x_1 \rangle \langle x_2 \rangle \dots \langle x_n \rangle \text{ true} \mid x_i \in \text{Act} \}$

(what about  $\simeq_{\Gamma}$  for  $\Gamma = \{ \langle x_1 \rangle \langle x_2 \rangle \langle x_3 \rangle \dots \langle x_n \rangle [-] \text{ false} \mid x_i \in \text{Act} \}$  ?)



# Modal Equivalence

For each (finite or infinite) set  $\Gamma$  of formulae,

$$E \simeq_{\Gamma} F \Leftrightarrow \forall \phi \in \Gamma . E \models \phi \Leftrightarrow F \models \phi$$

## Examples

$$a.b.\mathbf{0} + a.c.\mathbf{0} \simeq_{\Gamma} a.(b.\mathbf{0} + c.\mathbf{0})$$

for  $\Gamma = \{ \langle x_1 \rangle \langle x_2 \rangle \dots \langle x_n \rangle \text{true} \mid x_i \in \text{Act} \}$

(what about  $\simeq_{\Gamma}$  for  $\Gamma = \{ \langle x_1 \rangle \langle x_2 \rangle \langle x_3 \rangle \dots \langle x_n \rangle [-] \text{false} \mid x_i \in \text{Act} \}$  ?)

# Modal Equivalence

For each (finite or infinite) set  $\Gamma$  of formulae,

$$E \simeq_{\Gamma} F \iff \forall \phi \in \Gamma . E \models \phi \iff F \models \phi$$

## Examples

$$a.b.\mathbf{0} + a.c.\mathbf{0} \simeq_{\Gamma} a.(b.\mathbf{0} + c.\mathbf{0})$$

for  $\Gamma = \{ \langle x_1 \rangle \langle x_2 \rangle \dots \langle x_n \rangle \text{ true} \mid x_i \in \text{Act} \}$

(what about  $\simeq_{\Gamma}$  for  $\Gamma = \{ \langle x_1 \rangle \langle x_2 \rangle \langle x_3 \rangle \dots \langle x_n \rangle [-] \text{ false} \mid x_i \in \text{Act} \}$  ?)

# Modal Equivalence

For each (finite or infinite) set  $\Gamma$  of formulae,

$$E \simeq F \iff E \simeq_{\Gamma} F \text{ for every set } \Gamma \text{ of well-formed formulae}$$

## Lemma

$$E \sim F \Rightarrow E \simeq F$$

## Note

the converse of this lemma does not hold, e.g. let

- $A \triangleq \sum_{i \geq 0} A_i$ , where  $A_0 \triangleq \mathbf{0}$  and  $A_{i+1} \triangleq a.A_i$
- $A' \triangleq A + \text{fix}(X = a.X)$

$$A \approx A' \text{ but } A \not\simeq A'$$

# Modal Equivalence

For each (finite or infinite) set  $\Gamma$  of formulae,

$$E \simeq F \iff E \simeq_{\Gamma} F \text{ for every set } \Gamma \text{ of well-formed formulae}$$

## Lemma

$$E \sim F \Rightarrow E \simeq F$$

## Note

the converse of this lemma does not hold, e.g. let

- $A \triangleq \sum_{i \geq 0} A_i$ , where  $A_0 \triangleq \mathbf{0}$  and  $A_{i+1} \triangleq a.A_i$
- $A' \triangleq A + \text{fix}(X = a.X)$

$$A \approx A' \text{ but } A \not\simeq A'$$

# Modal Equivalence

For each (finite or infinite) set  $\Gamma$  of formulae,

$$E \simeq F \iff E \simeq_{\Gamma} F \text{ for every set } \Gamma \text{ of well-formed formulae}$$

## Lemma

$$E \sim F \Rightarrow E \simeq F$$

## Note

the converse of this lemma does not hold, e.g. let

- $A \triangleq \sum_{i \geq 0} A_i$ , where  $A_0 \triangleq \mathbf{0}$  and  $A_{i+1} \triangleq a.A_i$
- $A' \triangleq A + \underline{\text{fix}}(X = a.X)$

$$A \approx A' \text{ but } A \not\simeq A'$$

# Modal Equivalence

Theorem [Hennessy-Milner, 1985]

$$E \sim F \Leftrightarrow E \simeq F$$

for **image-finite** processes.

Image-finite processes

$E$  is **image-finite** iff  $\{F \mid E \xrightarrow{a} F\}$  is **finite** for every action  $a \in Act$

# Modal Equivalence

Theorem [Hennessy-Milner, 1985]

$$E \sim F \Leftrightarrow E \simeq F$$

for **image-finite** processes.

Image-finite processes

$E$  is **image-finite** iff  $\{F \mid E \xrightarrow{a} F\}$  is **finite** for every action  $a \in Act$

# Modal Equivalence

Theorem [Hennessy-Milner, 1985]

$$E \sim F \Leftrightarrow E \simeq F$$

for **image-finite** processes.

proof

$\Rightarrow$  : by induction of the formula structure

$\Leftarrow$  : show that  $\simeq$  is itself a bisimulation, by contradiction